

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Salem City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	8	14	0	0	8	14
AIDS-CD4 Only	#	#	#	#	16	28
HIV Only	#	#	#	#	34	59
-----	-----	---	-----	---	-----	---
Total	57	100	#	#	58	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	13	23	0	0	13	22
5-12	#	#	Black, Not Hispanic	#	#	#	#	43	74
13-19	0	0	Hispanic	#	#	#	#	#	#
20-29	#	#	Other/Unknown	0	0	0	0	0	0
30-39	16	28	-----	-----	---	-----	---	-----	---
40-49	22	38	Total	57	100	#	#	58	100
50+	15	26							
Unk.	0	0							
-----	-----	---							
Total	58	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	#	#	0	0	#	#
Injection drug user (IDU)	7	39	9	23	16	28
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	5	28	22	56	27	47
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	18	100	39	100	57	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Salem City Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total		Deaths (%)
	Cases	(%)		Cases	(%)		Cases	(%)	
PCP	15	(23)	12 (80)	0	(.)	0 (.)	15	(23)	12 (80)
Other OI w/o PCP	24	(37)	20 (83)	0	(.)	0 (.)	24	(37)	20 (83)
KS Alone	#	(#)	# (#)	0	(.)	0 (.)	#	(#)	# (#)
No Disease Listed	#	(#)	# (#)	0	(.)	0 (.)	#	(#)	# (#)
Total	65	(100)	41 (64)	0	(.)	0 (.)	65	(100)	41 (64)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	0	0	White, Not Hispanic	18	28	0	.	18	28
5-12	0	0	Black, Not Hispanic	43	66	0	.	43	66
13-19	0	0	Hispanic	#	#	0	.	#	#
20-29	8	12	Other/Unknown	#	#	0	.	#	#
30-39	24	37							
40-49	21	32	Total	65	100	0	.	65	100
Over 49	12	18							
Unknown	0	0							
Total	65	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	14	35	0	0	14	22
Injection drug user (IDU)	12	30	8	32	20	31
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	11	17
Total	40	100	25	100	65	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Salem City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	0	0	#
1986	#	#	#
1987	#	#	#
1989	#	#	#
1990	#	#	#
1991	5	5	100%
1992	#	#	#
1993	#	#	#
1994	#	#	#
1995	9	8	89%
1996	#	#	#
1997	5	#	#
1998	5	#	#
1999	5	#	#
2000	#	#	#
2001	5	#	#
2002	#	#	#
2003	#	#	#
-----	-----	-----	-----
Total	65	41	63%